





NTNV-11a-Ant1-5240-5266.7~26000-PASS



NTNV-11a-Ant1-5240-5266.7~26000-PASS




NTNV-11a-Ant1-5260-30~5233.3-PASS



NTNV-11a-Ant1-5260-30~5233.3-PASS




NTNV-11a-Ant1-5260-5233.3~5240-PASS




NTNV-11a-Ant1-5260-5233.3~5240-PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.




NTNV-11a-Ant1-5260-5240~5249-PASS




NTNV-11a-Ant1-5260-5240~5249-PASS




NTNV-11a-Ant1-5260-5249~5250-PASS



NTNV-11a-Ant1-5260-5249~5250-PASS




NTNV-11a-Ant1-5320-5350~6000-PASS




NTNV-11a-Ant1-5320-5350~6000-PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.




NTNV-11a-Ant1-5600-30~5460-PASS



NTNV-11a-Ant1-5600-30~5460-PASS




NTNV-11n20SISO-Ant1-5240-5250~5251-PASS



NTNV-11n20SISO-Ant1-5240-5250~5251-PASS



NTNV-11n20SISO-Ant1-5240-5251~5260-PASS




NTNV-11n20SISO-Ant1-5240-5251~5260-PASS


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.




NTNV-11n20SISO-Ant1-5240-5260~5266.7-PASS




NTNV-11n20SISO-Ant1-5240-5260~5266.7-PASS




NTNV-11n20SISO-Ant1-5240-5266.7~26000-PASS



NTNV-11n20SISO-Ant1-5240-5266.7~26000-PASS



NTNV-11n20SISO-Ant1-5260-30~5233.3-PASS




NTNV-11n20SISO-Ant1-5260-30~5233.3-PASS


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.




NTNV-11n20SISO-Ant1-5260-5233.3~5240-PASS



NTNV-11n20SISO-Ant1-5260-5233.3~5240-PASS




NTNV-11n20SISO-Ant1-5260-5240~5249-PASS



NTNV-11n20SISO-Ant1-5260-5240~5249-PASS




NTNV-11n20SISO-Ant1-5260-5249~5250-PASS




NTNV-11n20SISO-Ant1-5260-5249~5250-PASS


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.




NTNV-11n20SISO-Ant1-5320-5350~6000-PASS




NTNV-11n20SISO-Ant1-5320-5350~6000-PASS




NTNV-11n20SISO-Ant1-5500-5460~5470-PASS



NTNV-11n20SISO-Ant1-5500-5460~5470-PASS




NTNV-11n40SISO-Ant1-5190-30~5141.6-PASS




NTNV-11n40SISO-Ant1-5190-30~5141.6-PASS


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.




NTNV-11n40SISO-Ant1-5190-5141.6~5150-PASS




NTNV-11n40SISO-Ant1-5190-5141.6~5150-PASS




NTNV-11n40SISO-Ant1-5230-5250~5251-PASS



NTNV-11n40SISO-Ant1-5230-5250~5251-PASS




NTNV-11n40SISO-Ant1-5230-5251~5270-PASS




NTNV-11n40SISO-Ant1-5230-5251~5270-PASS


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.




NTNV-11n40SISO-Ant1-5230-5270~5278.4-PASS




NTNV-11n40SISO-Ant1-5230-5270~5278.4-PASS




NTNV-11n40SISO-Ant1-5230-5278.4~26000-PASS



NTNV-11n40SISO-Ant1-5230-5278.4~26000-PASS



NTNV-11n40SISO-Ant1-5270-30~5221.6-PASS




NTNV-11n40SISO-Ant1-5270-30~5221.6-PASS


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.




NTNV-11n40SISO-Ant1-5270-5221.6~5230-PASS




NTNV-11n40SISO-Ant1-5270-5221.6~5230-PASS




NTNV-11n40SISO-Ant1-5270-5230~5249-PASS



NTNV-11n40SISO-Ant1-5270-5230~5249-PASS




NTNV-11n40SISO-Ant1-5270-5249~5250-PASS




NTNV-11n40SISO-Ant1-5270-5249~5250-PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.




NTNV-11n40SISO-Ant1-5310-5221.6~5230-PASS




NTNV-11n40SISO-Ant1-5310-5221.6~5230-PASS




NTNV-11n40SISO-Ant1-5310-5350~5358.4-PASS



NTNV-11n40SISO-Ant1-5310-5350~5358.4-PASS




NTNV-11n40SISO-Ant1-5310-5358.4~26000-PASS




NTNV-11n40SISO-Ant1-5310-5358.4~26000-PASS


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.




NTNV-11n40SISO-Ant1-5510-30~5460-PASS



NTNV-11n40SISO-Ant1-5510-30~5460-PASS



NTNV-11n40SISO-Ant1-5510-5460~5470-PASS



NTNV-11n40SISO-Ant1-5510-5460~5470-PASS


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Spurious Emission of RX
Test Result


Test Condition	Test Mode	ANT	Freq. [MHz]	Freq.Range [MHz]	Freq. [MHz]	Result [dBm]	Limit [dBm]	Result [nW]	Limit [nW]	Verdict
NTNV	11a	Ant1	5180	30~1000	38.73	-78.59	≤-54	0.01384	≤4	PASS
NTNV	11a	Ant1	5180	1000~26000	23270.00	-65.59	≤-47	0.27606	≤20	PASS
NTNV	11a	Ant1	5200	30~1000	38.73	-77.36	≤-54	0.01837	≤4	PASS
NTNV	11a	Ant1	5200	1000~26000	5212.50	-64.65	≤-47	0.34277	≤20	PASS
NTNV	11a	Ant1	5240	30~1000	38.25	-77.69	≤-54	0.01702	≤4	PASS
NTNV	11a	Ant1	5240	1000~26000	23342.50	-65.43	≤-47	0.28642	≤20	PASS
NTNV	11a	Ant1	5260	30~1000	38.25	-77.02	≤-54	0.01986	≤4	PASS
NTNV	11a	Ant1	5260	1000~26000	5212.50	-64.02	≤-47	0.39628	≤20	PASS
NTNV	11a	Ant1	5300	30~1000	30.49	-78.93	≤-54	0.01279	≤4	PASS
NTNV	11a	Ant1	5300	1000~26000	2402.50	-64.21	≤-47	0.37931	≤20	PASS
NTNV	11a	Ant1	5320	30~1000	30.49	-77.40	≤-54	0.01820	≤4	PASS
NTNV	11a	Ant1	5320	1000~26000	5212.50	-61.01	≤-47	0.79250	≤20	PASS
NTNV	11a	Ant1	5500	30~1000	30.49	-77.00	≤-54	0.01995	≤4	PASS
NTNV	11a	Ant1	5500	1000~26000	5211.25	-65.65	≤-47	0.27227	≤20	PASS
NTNV	11a	Ant1	5600	30~1000	37.76	-77.29	≤-54	0.01866	≤4	PASS
NTNV	11a	Ant1	5600	1000~26000	5212.50	-63.02	≤-47	0.49888	≤20	PASS
NTNV	11a	Ant1	5700	30~1000	37.76	-77.86	≤-54	0.01637	≤4	PASS
NTNV	11a	Ant1	5700	1000~26000	2411.25	-59.22	≤-47	1.19674	≤20	PASS
NTNV	11n20SISO	Ant1	5180	30~1000	37.76	-78.71	≤-54	0.01346	≤4	PASS
NTNV	11n20SISO	Ant1	5180	1000~26000	2440.00	-62.35	≤-47	0.58210	≤20	PASS
NTNV	11n20SISO	Ant1	5200	30~1000	37.76	-77.44	≤-54	0.01803	≤4	PASS
NTNV	11n20SISO	Ant1	5200	1000~26000	5212.50	-62.03	≤-47	0.62661	≤20	PASS
NTNV	11n20SISO	Ant1	5240	30~1000	37.76	-77.17	≤-54	0.01919	≤4	PASS
NTNV	11n20SISO	Ant1	5240	1000~26000	5212.50	-62.96	≤-47	0.50582	≤20	PASS
NTNV	11n20SISO	Ant1	5260	30~1000	37.76	-77.59	≤-54	0.01742	≤4	PASS
NTNV	11n20SISO	Ant1	5260	1000~26000	2451.25	-59.67	≤-47	1.07895	≤20	PASS
NTNV	11n20SISO	Ant1	5300	30~1000	37.76	-78.98	≤-54	0.01265	≤4	PASS
NTNV	11n20SISO	Ant1	5300	1000~26000	2468.75	-65.24	≤-47	0.29923	≤20	PASS
NTNV	11n20SISO	Ant1	5320	30~1000	37.28	-77.29	≤-54	0.01866	≤4	PASS
NTNV	11n20SISO	Ant1	5320	1000~26000	5212.50	-65.70	≤-47	0.26915	≤20	PASS
NTNV	11n20SISO	Ant1	5500	30~1000	37.76	-76.69	≤-54	0.02143	≤4	PASS
NTNV	11n20SISO	Ant1	5500	1000~26000	5212.50	-60.66	≤-47	0.85901	≤20	PASS
NTNV	11n20SISO	Ant1	5600	30~1000	37.28	-77.52	≤-54	0.01770	≤4	PASS
NTNV	11n20SISO	Ant1	5600	1000~26000	5212.50	-61.87	≤-47	0.65013	≤20	PASS
NTNV	11n20SISO	Ant1	5700	30~1000	37.76	-76.71	≤-54	0.02133	≤4	PASS
NTNV	11n20SISO	Ant1	5700	1000~26000	2446.25	-62.30	≤-47	0.58884	≤20	PASS
NTNV	11n40SISO	Ant1	5190	30~1000	37.28	-76.89	≤-54	0.02046	≤4	PASS
NTNV	11n40SISO	Ant1	5190	1000~26000	5212.50	-63.14	≤-47	0.48529	≤20	PASS
NTNV	11n40SISO	Ant1	5230	30~1000	37.28	-76.90	≤-54	0.02042	≤4	PASS
NTNV	11n40SISO	Ant1	5230	1000~26000	5212.50	-63.34	≤-47	0.46345	≤20	PASS
NTNV	11n40SISO	Ant1	5270	30~1000	37.76	-76.84	≤-54	0.02070	≤4	PASS
NTNV	11n40SISO	Ant1	5270	1000~26000	5212.50	-63.79	≤-47	0.41783	≤20	PASS
NTNV	11n40SISO	Ant1	5310	30~1000	37.76	-78.24	≤-54	0.01500	≤4	PASS
NTNV	11n40SISO	Ant1	5310	1000~26000	5211.25	-65.03	≤-47	0.31405	≤20	PASS
NTNV	11n40SISO	Ant1	5510	30~1000	37.76	-74.99	≤-54	0.03170	≤4	PASS
NTNV	11n40SISO	Ant1	5510	1000~26000	5800.00	-60.24	≤-47	0.94624	≤20	PASS
NTNV	11n40SISO	Ant1	5590	30~1000	37.76	-77.11	≤-54	0.01945	≤4	PASS
NTNV	11n40SISO	Ant1	5590	1000~26000	5212.50	-63.30	≤-47	0.46774	≤20	PASS
NTNV	11n40SISO	Ant1	5670	30~1000	37.76	-77.43	≤-54	0.01807	≤4	PASS
NTNV	11n40SISO	Ant1	5670	1000~26000	5212.50	-63.38	≤-47	0.45920	≤20	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.


Test Graphs




NTNV-11a-Ant1-5180-30~1000-PASS




NTNV-11a-Ant1-5180-1000~26000-PASS




NTNV-11a-Ant1-5200-30~1000-PASS



NTNV-11a-Ant1-5200-1000~26000-PASS




NTNV-11a-Ant1-5240-30~1000-PASS




NTNV-11a-Ant1-5240-1000~26000-PASS


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.




NTNV-11a-Ant1-5260-30~1000-PASS




NTNV-11a-Ant1-5260-1000~26000-PASS




NTNV-11a-Ant1-5300-30~1000-PASS



NTNV-11a-Ant1-5300-1000~26000-PASS




NTNV-11a-Ant1-5320-30~1000-PASS




NTNV-11a-Ant1-5320-1000~26000-PASS


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.




NTNV-11a-Ant1-5500-30~1000-PASS




NTNV-11a-Ant1-5500-1000~26000-PASS




NTNV-11a-Ant1-5600-30~1000-PASS



NTNV-11a-Ant1-5600-1000~26000-PASS




NTNV-11a-Ant1-5700-30~1000-PASS




NTNV-11a-Ant1-5700-1000~26000-PASS


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.




NTNV-11n20SISO-Ant1-5180-30~1000-PASS




NTNV-11n20SISO-Ant1-5180-1000~26000-PASS




NTNV-11n20SISO-Ant1-5200-30~1000-PASS



NTNV-11n20SISO-Ant1-5200-1000~26000-PASS




NTNV-11n20SISO-Ant1-5240-30~1000-PASS




NTNV-11n20SISO-Ant1-5240-1000~26000-PASS


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.




NTNV-11n20SISO-Ant1-5260-30~1000-PASS




NTNV-11n20SISO-Ant1-5260-1000~26000-PASS




NTNV-11n20SISO-Ant1-5300-30~1000-PASS



NTNV-11n20SISO-Ant1-5300-1000~26000-PASS




NTNV-11n20SISO-Ant1-5320-30~1000-PASS




NTNV-11n20SISO-Ant1-5320-1000~26000-PASS


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.




NTNV-11n20SISO-Ant1-5500-30~1000-PASS




NTNV-11n20SISO-Ant1-5500-1000~26000-PASS




NTNV-11n20SISO-Ant1-5600-30~1000-PASS



NTNV-11n20SISO-Ant1-5600-1000~26000-PASS




NTNV-11n20SISO-Ant1-5700-30~1000-PASS




NTNV-11n20SISO-Ant1-5700-1000~26000-PASS


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.




NTNV-11n40SISO-Ant1-5190-30~1000-PASS




NTNV-11n40SISO-Ant1-5190-1000~26000-PASS




NTNV-11n40SISO-Ant1-5230-30~1000-PASS



NTNV-11n40SISO-Ant1-5230-1000~26000-PASS




NTNV-11n40SISO-Ant1-5270-30~1000-PASS




NTNV-11n40SISO-Ant1-5270-1000~26000-PASS


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.




NTNV-11n40SISO-Ant1-5310-30~1000-PASS




NTNV-11n40SISO-Ant1-5310-1000~26000-PASS




NTNV-11n40SISO-Ant1-5510-30~1000-PASS



NTNV-11n40SISO-Ant1-5510-1000~26000-PASS




NTNV-11n40SISO-Ant1-5590-30~1000-PASS




NTNV-11n40SISO-Ant1-5590-1000~26000-PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.



NTNV-11n40SISO-Ant1-5670-30~1000-PASS



NTNV-11n40SISO-Ant1-5670-1000~26000-PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.


Transmission Burst Length

Test Result


TestCondition	TestMode	Antenna	Frequency[MHz]	Result [ms]	Limit [ms]	Verdict
NTNV	11a	Ant1	5180	2.06	≤8	PASS
NTNV	11a	Ant1	5200	2.06	≤8	PASS
NTNV	11a	Ant1	5240	2.06	≤8	PASS
NTNV	11a	Ant1	5260	2.06	≤8	PASS
NTNV	11a	Ant1	5300	2.06	≤8	PASS
NTNV	11a	Ant1	5320	2.06	≤8	PASS
NTNV	11a	Ant1	5500	2.06	≤8	PASS
NTNV	11a	Ant1	5600	2.06	≤8	PASS
NTNV	11a	Ant1	5700	2.06	≤8	PASS
NTNV	11n20SISO	Ant1	5180	1.92	≤8	PASS
NTNV	11n20SISO	Ant1	5200	1.92	≤8	PASS
NTNV	11n20SISO	Ant1	5240	1.92	≤8	PASS
NTNV	11n20SISO	Ant1	5260	1.92	≤8	PASS
NTNV	11n20SISO	Ant1	5300	1.92	≤8	PASS
NTNV	11n20SISO	Ant1	5320	1.92	≤8	PASS
NTNV	11n20SISO	Ant1	5500	1.92	≤8	PASS
NTNV	11n20SISO	Ant1	5600	1.92	≤8	PASS
NTNV	11n20SISO	Ant1	5700	1.92	≤8	PASS
NTNV	11n40SISO	Ant1	5190	0.94	≤8	PASS
NTNV	11n40SISO	Ant1	5230	0.94	≤8	PASS
NTNV	11n40SISO	Ant1	5270	0.93	≤8	PASS
NTNV	11n40SISO	Ant1	5310	0.93	≤8	PASS
NTNV	11n40SISO	Ant1	5510	0.93	≤8	PASS
NTNV	11n40SISO	Ant1	5590	0.93	≤8	PASS
NTNV	11n40SISO	Ant1	5670	0.94	≤8	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.


Test Graphs




NTNV-11a-Ant1-5180-PASS




NTNV-11a-Ant1-5200-PASS




NTNV-11a-Ant1-5240-PASS



NTNV-11a-Ant1-5260-PASS




NTNV-11a-Ant1-5300-PASS




NTNV-11a-Ant1-5320-PASS


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.




NTNV-11a-Ant1-5500-PASS




NTNV-11a-Ant1-5600-PASS




NTNV-11a-Ant1-5700-PASS



NTNV-11n20SISO-Ant1-5180-PASS




NTNV-11n20SISO-Ant1-5200-PASS




NTNV-11n20SISO-Ant1-5240-PASS


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.




NTNV-11n20SISO-Ant1-5260-PASS




NTNV-11n20SISO-Ant1-5300-PASS




NTNV-11n20SISO-Ant1-5320-PASS



NTNV-11n20SISO-Ant1-5500-PASS




NTNV-11n20SISO-Ant1-5600-PASS




NTNV-11n20SISO-Ant1-5700-PASS


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.




NTNV-11n40SISO-Ant1-5190-PASS




NTNV-11n40SISO-Ant1-5230-PASS




NTNV-11n40SISO-Ant1-5270-PASS



NTNV-11n40SISO-Ant1-5310-PASS




NTNV-11n40SISO-Ant1-5510-PASS



NTNV-11n40SISO-Ant1-5590-PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.



NTNV-11n40SISO-Ant1-5670-PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Adjacent Channel Power Tolerance
Test Result

Test Condition	Test Mode	Antenna	Frequency [MHz]	Offset [MHz]	Result [dBc]	EIRP Result [dBc]	Limit [dBc]	Verdict
NTNV	11a	Ant1	5180	-40	-52.43	-52.43	≤-40	PASS
NTNV	11a	Ant1	5180	-20	-32.39	-32.39	≤-25	PASS
NTNV	11a	Ant1	5180	+20	-34.78	-34.78	≤-25	PASS
NTNV	11a	Ant1	5180	+40	-52.71	-52.71	≤-40	PASS
NTNV	11a	Ant1	5200	-40	-53.80	-53.8	≤-40	PASS
NTNV	11a	Ant1	5200	-20	-32.51	-32.51	≤-25	PASS
NTNV	11a	Ant1	5200	+20	-34.83	-34.83	≤-25	PASS
NTNV	11a	Ant1	5200	+40	-52.62	-52.62	≤-40	PASS
NTNV	11a	Ant1	5240	-40	-52.66	-52.66	≤-40	PASS
NTNV	11a	Ant1	5240	-20	-32.30	-32.3	≤-25	PASS
NTNV	11a	Ant1	5240	+20	-34.64	-34.64	≤-25	PASS
NTNV	11a	Ant1	5240	+40	-52.51	-52.51	≤-40	PASS
NTNV	11a	Ant1	5260	-40	-51.43	-51.43	≤-40	PASS
NTNV	11a	Ant1	5260	-20	-32.23	-32.23	≤-25	PASS
NTNV	11a	Ant1	5260	+20	-34.42	-34.42	≤-25	PASS
NTNV	11a	Ant1	5260	+40	-52.03	-52.03	≤-40	PASS
NTNV	11a	Ant1	5300	-40	-47.89	-47.89	≤-40	PASS
NTNV	11a	Ant1	5300	-20	-31.56	-31.56	≤-25	PASS
NTNV	11a	Ant1	5300	+20	-33.24	-33.24	≤-25	PASS
NTNV	11a	Ant1	5300	+40	-51.14	-51.14	≤-40	PASS
NTNV	11a	Ant1	5320	-40	-47.93	-47.93	≤-40	PASS
NTNV	11a	Ant1	5320	-20	-31.74	-31.74	≤-25	PASS
NTNV	11a	Ant1	5320	+20	-32.99	-32.99	≤-25	PASS
NTNV	11a	Ant1	5320	+40	-51.42	-51.42	≤-40	PASS
NTNV	11a	Ant1	5500	-40	-53.19	-53.19	≤-40	PASS
NTNV	11a	Ant1	5500	-20	-31.74	-31.74	≤-25	PASS
NTNV	11a	Ant1	5500	+20	-32.77	-32.77	≤-25	PASS
NTNV	11a	Ant1	5500	+40	-53.05	-53.05	≤-40	PASS
NTNV	11a	Ant1	5600	-40	-52.20	-52.2	≤-40	PASS
NTNV	11a	Ant1	5600	-20	-30.35	-30.35	≤-25	PASS
NTNV	11a	Ant1	5600	+20	-30.89	-30.89	≤-25	PASS
NTNV	11a	Ant1	5600	+40	-53.02	-53.02	≤-40	PASS
NTNV	11a	Ant1	5700	-40	-54.17	-54.17	≤-40	PASS
NTNV	11a	Ant1	5700	-20	-31.50	-31.5	≤-25	PASS
NTNV	11a	Ant1	5700	+20	-32.93	-32.93	≤-25	PASS
NTNV	11a	Ant1	5700	+40	-54.67	-54.67	≤-40	PASS
NTNV	11n20SISO	Ant1	5180	-40	-51.59	-51.59	≤-40	PASS
NTNV	11n20SISO	Ant1	5180	-20	-31.53	-31.53	≤-25	PASS
NTNV	11n20SISO	Ant1	5180	+20	-32.38	-32.38	≤-25	PASS
NTNV	11n20SISO	Ant1	5180	+40	-52.03	-52.03	≤-40	PASS
NTNV	11n20SISO	Ant1	5200	-40	-53.27	-53.27	≤-40	PASS
NTNV	11n20SISO	Ant1	5200	-20	-31.70	-31.7	≤-25	PASS
NTNV	11n20SISO	Ant1	5200	+20	-32.71	-32.71	≤-25	PASS
NTNV	11n20SISO	Ant1	5200	+40	-52.18	-52.18	≤-40	PASS
NTNV	11n20SISO	Ant1	5240	-40	-52.61	-52.61	≤-40	PASS
NTNV	11n20SISO	Ant1	5240	-20	-31.38	-31.38	≤-25	PASS
NTNV	11n20SISO	Ant1	5240	+20	-32.74	-32.74	≤-25	PASS
NTNV	11n20SISO	Ant1	5240	+40	-51.55	-51.55	≤-40	PASS
NTNV	11n20SISO	Ant1	5260	-40	-50.09	-50.09	≤-40	PASS
NTNV	11n20SISO	Ant1	5260	-20	-31.00	-31	≤-25	PASS
NTNV	11n20SISO	Ant1	5260	+20	-32.52	-32.52	≤-25	PASS
NTNV	11n20SISO	Ant1	5260	+40	-51.68	-51.68	≤-40	PASS
NTNV	11n20SISO	Ant1	5300	-40	-47.31	-47.31	≤-40	PASS
NTNV	11n20SISO	Ant1	5300	-20	-30.73	-30.73	≤-25	PASS
NTNV	11n20SISO	Ant1	5300	+20	-31.97	-31.97	≤-25	PASS
NTNV	11n20SISO	Ant1	5300	+40	-50.73	-50.73	≤-40	PASS
NTNV	11n20SISO	Ant1	5320	-40	-47.09	-47.09	≤-40	PASS
NTNV	11n20SISO	Ant1	5320	-20	-30.65	-30.65	≤-25	PASS
NTNV	11n20SISO	Ant1	5320	+20	-31.87	-31.87	≤-25	PASS
NTNV	11n20SISO	Ant1	5320	+40	-50.87	-50.87	≤-40	PASS
NTNV	11n20SISO	Ant1	5500	-40	-50.90	-50.9	≤-40	PASS
NTNV	11n20SISO	Ant1	5500	-20	-30.71	-30.71	≤-25	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

NTNV	11n20SISO	Ant1	5500	+20	-31.43	-31.43	≤-25	PASS
NTNV	11n20SISO	Ant1	5500	+40	-51.55	-51.55	≤-40	PASS
NTNV	11n20SISO	Ant1	5600	-40	-49.27	-49.27	≤-40	PASS
NTNV	11n20SISO	Ant1	5600	-20	-28.44	-28.44	≤-25	PASS
NTNV	11n20SISO	Ant1	5600	+20	-28.85	-28.85	≤-25	PASS
NTNV	11n20SISO	Ant1	5600	+40	-51.41	-51.41	≤-40	PASS
NTNV	11n20SISO	Ant1	5700	-40	-53.36	-53.36	≤-40	PASS
NTNV	11n20SISO	Ant1	5700	-20	-30.75	-30.75	≤-25	PASS
NTNV	11n20SISO	Ant1	5700	+20	-31.77	-31.77	≤-25	PASS
NTNV	11n20SISO	Ant1	5700	+40	-53.76	-53.76	≤-40	PASS
NTNV	11n40SISO	Ant1	5190	-80	-52.95	-52.95	≤-40	PASS
NTNV	11n40SISO	Ant1	5190	-40	-38.18	-38.18	≤-25	PASS
NTNV	11n40SISO	Ant1	5190	+40	-39.57	-39.57	≤-25	PASS
NTNV	11n40SISO	Ant1	5190	+80	-51.52	-51.52	≤-40	PASS
NTNV	11n40SISO	Ant1	5230	-80	-51.82	-51.82	≤-40	PASS
NTNV	11n40SISO	Ant1	5230	-40	-37.33	-37.33	≤-25	PASS
NTNV	11n40SISO	Ant1	5230	+40	-39.07	-39.07	≤-25	PASS
NTNV	11n40SISO	Ant1	5230	+80	-51.25	-51.25	≤-40	PASS
NTNV	11n40SISO	Ant1	5270	-80	-49.76	-49.76	≤-40	PASS
NTNV	11n40SISO	Ant1	5270	-40	-35.93	-35.93	≤-25	PASS
NTNV	11n40SISO	Ant1	5270	+40	-37.87	-37.87	≤-25	PASS
NTNV	11n40SISO	Ant1	5270	+80	-50.63	-50.63	≤-40	PASS
NTNV	11n40SISO	Ant1	5310	-80	-47.62	-47.62	≤-40	PASS
NTNV	11n40SISO	Ant1	5310	-40	-34.85	-34.85	≤-25	PASS
NTNV	11n40SISO	Ant1	5310	+40	-35.51	-35.51	≤-25	PASS
NTNV	11n40SISO	Ant1	5310	+80	-50.63	-50.63	≤-40	PASS
NTNV	11n40SISO	Ant1	5510	-80	-47.82	-47.82	≤-40	PASS
NTNV	11n40SISO	Ant1	5510	-40	-29.72	-29.72	≤-25	PASS
NTNV	11n40SISO	Ant1	5510	+40	-29.04	-29.04	≤-25	PASS
NTNV	11n40SISO	Ant1	5510	+80	-47.20	-47.2	≤-40	PASS
NTNV	11n40SISO	Ant1	5590	-80	-48.00	-48	≤-40	PASS
NTNV	11n40SISO	Ant1	5590	-40	-27.41	-27.41	≤-25	PASS
NTNV	11n40SISO	Ant1	5590	+40	-27.12	-27.12	≤-25	PASS
NTNV	11n40SISO	Ant1	5590	+80	-48.48	-48.48	≤-40	PASS
NTNV	11n40SISO	Ant1	5670	-80	-50.86	-50.86	≤-40	PASS
NTNV	11n40SISO	Ant1	5670	-40	-29.28	-29.28	≤-25	PASS
NTNV	11n40SISO	Ant1	5670	+40	-28.67	-28.67	≤-25	PASS
NTNV	11n40SISO	Ant1	5670	+80	-50.63	-50.63	≤-40	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Test Graphs



NTNV-11a-Ant1-5180-PASS




NTNV-11a-Ant1-5200-PASS




NTNV-11a-Ant1-5240-PASS



NTNV-11a-Ant1-5260-PASS



NTNV-11a-Ant1-5300-PASS



NTNV-11a-Ant1-5320-PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.



NTNV-11a-Ant1-5500-PASS



NTNV-11a-Ant1-5600-PASS



NTNV-11a-Ant1-5700-PASS



NTNV-11n20SISO-Ant1-5180-PASS



NTNV-11n20SISO-Ant1-5200-PASS



NTNV-11n20SISO-Ant1-5240-PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.



NTNV-11n20SISO-Ant1-5260-PASS



NTNV-11n20SISO-Ant1-5300-PASS




NTNV-11n20SISO-Ant1-5320-PASS



NTNV-11n20SISO-Ant1-5500-PASS



NTNV-11n20SISO-Ant1-5600-PASS



NTNV-11n20SISO-Ant1-5700-PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.



NTNV-11n40SISO-Ant1-5190-PASS



NTNV-11n40SISO-Ant1-5230-PASS



NTNV-11n40SISO-Ant1-5270-PASS



NTNV-11n40SISO-Ant1-5310-PASS



NTNV-11n40SISO-Ant1-5510-PASS



NTNV-11n40SISO-Ant1-5590-PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.



NTNV-11n40SISO-Ant1-5670-PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Carrier Sense Function


Test Result

TestCondition	TestMode	Antenna	Frequency [MHz]	Result [dBm]	Gain [dBi]	Pcs [dBm]	Result	Verdict
NTNV	11a	Ant1	5180	-46.00	6.25	-45.25	Good	PASS
NTNV	11a	Ant1	5200	-46.00	6.25	-45.28	Good	PASS
NTNV	11a	Ant1	5240	-46.00	6.25	-45.35	Good	PASS
NTNV	11a	Ant1	5260	-46.00	6.25	-45.25	Good	PASS
NTNV	11a	Ant1	5300	-46.00	6.25	-45.28	Good	PASS
NTNV	11a	Ant1	5320	-46.00	6.25	-45.35	Good	PASS
NTNV	11a	Ant1	5500	-45.00	6.79	-44.72	Good	PASS
NTNV	11a	Ant1	5600	-45.00	6.79	-44.79	Good	PASS
NTNV	11a	Ant1	5700	-46.00	6.25	-45.25	Good	PASS
NTNV	11n20SISO	Ant1	5180	-46.00	6.25	-45.38	Good	PASS
NTNV	11n20SISO	Ant1	5200	-46.00	6.25	-45.45	Good	PASS
NTNV	11n20SISO	Ant1	5240	-46.00	6.25	-45.48	Good	PASS
NTNV	11n20SISO	Ant1	5260	-46.00	6.25	-45.38	Good	PASS
NTNV	11n20SISO	Ant1	5300	-46.00	6.25	-45.45	Good	PASS
NTNV	11n20SISO	Ant1	5320	-46.00	6.25	-45.48	Good	PASS
NTNV	11n20SISO	Ant1	5500	-45.00	6.79	-44.86	Good	PASS
NTNV	11n20SISO	Ant1	5600	-45.00	6.79	-44.92	Good	PASS
NTNV	11n20SISO	Ant1	5700	-45.00	6.79	-44.84	Good	PASS
NTNV	11n40SISO	Ant1	5190	-46.00	6.25	-45.77	Good	PASS
NTNV	11n40SISO	Ant1	5230	-46.00	6.25	-45.92	Good	PASS
NTNV	11n40SISO	Ant1	5270	-47.00	6.25	-46.08	Good	PASS
NTNV	11n40SISO	Ant1	5310	-46.00	6.25	-45.77	Good	PASS
NTNV	11n40SISO	Ant1	5510	-46.00	6.79	-45.38	Good	PASS
NTNV	11n40SISO	Ant1	5590	-46.00	6.79	-45.54	Good	PASS
NTNV	11n40SISO	Ant1	5670	-46.00	6.79	-45.24	Good	PASS


Note：Pcs (dBm) = 22.79 + Gr – 20log(F).

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.


Test Graphs (wost case)



NTNV-11n40SISO-Ant1-5180-PASS



NTNV-11n40SISO-Ant1-5260-PASS



NTNV-11n40SISO-Ant1-5500-PASS

~The End~

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.