







VARIANT FCC TEST REPORT (PART 22)

Applicant:	Particle Industries,Inc	
Address:	325 9th Street, San Francisco, CA 94103, United States Of America	
Manufacturer or Supplier:	Particle Industries,Inc	
Address:	325 9th Street, San Francisco, CA	94103, United States Of America
Product:	E Series Module	
Brand Name:	Particle	
Model Name:	E404X	
FCC ID:	2AEMI-E404X	
Date of tests:	Mar. 10, 2023 ~ Mar. 24, 2023	
The tests have been carried out according to the requirements of the following standard:		
 ☐ FCC PART 22, Subpart H ☐ ANSI/TIA/EIA-603-D ☐ ANSI/TIA/EIA-603-E FCC Part 2 ANSI/TIA/EIA-603-D ANSI/TIA/EIA-603-E		
CONCLUSION: The submitted sample was found to COMPLY with the test requirement		
Prepared by Simon Wang Engineer / Mobile Department Approved by Luke Lu Manager / Mobile Department		
Simon Wang		luke lu
	ate: Mar. 24, 2023 orporates by reference, the Conditions of Testing as posted at the relabout-us/our-business/cps/about-us/terms-conditions/ and is in	Date: Mar. 24, 2023 e date of issuance of this report at tended for your exclusive use. Any copying or replication of this report to or for any other person or

http://www.bureauveritas.com/home/about-us/our-business/cps/about-us/terms-conditions/ and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. Measurement uncertainty is only provided upon request for accredited tests. Statements of conformity are based on simple acceptance criteria without taking measurement uncertainty into account, unless otherwise requested in writing. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence or if you require measurement uncertainty, provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.

BV 7Layers Communications Technology (Shenzhen) Co., Ltd

No.B102, Dazu Chuangxin Mansion, North of Beihuan Avenue, North Area, Hi-Tech Industrial Park, Nanshan District, Shenzhen, Guangdong, China Tel: +86 755 8869 6566 Fax: +86 755 8869 6577

Email: <u>customerservice.sw@bureauveritas.com</u>



TABLE OF CONTENTS

RELEAS	SE CONTROL RECORD	3
1 SUMM	IARY OF TEST RESULTS	4
2 GENE	RAL INFORMATION	5
2.1	GENERAL DESCRIPTION OF EUT	5
2.2	GENERAL DESCRIPTION OF APPLIED STANDARDS	7
3 INFOR	RMATION ON THE TESTING LABORATORIES	8
4 MODIE	FIGATIONS DECORDEDS FOR ENGINEERING CHANGES TO THE FLIT BY THE LAR	•



RELEASE CONTROL RECORD

ISSUE NO.	REASON FOR CHANGE	DATE ISSUED
W7L-P22110028RF01	Original release	Dec. 08, 2022
W7L-P23030011RF01	Based on the original product change components and hardware version, it doesn't affect RF Function, The new sample no change data.	Mar. 24, 2023

Tel: +86 755 8869 6566



SUMMARY OF TEST RESULTS

The EUT has been tested according to the following specifications:

APPLIED STANDARD: FCC Part 22 & Part 2		
STANDARD SECTION	TEST TYPE	RESULT
§2.1046	Conducted Output Power	See Note
§22.913 (a)(5)	Effective Radiated Power	See Note
§2.1055 §22.355	Frequency Stability	See Note
§2.1049	Occupied Bandwidth	See Note
§22.913 (d)	Peak to average ratio*	See Note
§22.917(a)	Band Edge Measurements	See Note
§2.1051 §22.917(a)	Conducted Spurious Emissions	See Note
§2.1053 §22.917(a)	Radiated Spurious Emissions	See Note

^{*} Refer to KDB 971168 D01 Power Meas License Digital Systems v03r01.

NOTE: Please refer to original report W7L-P22110028RF01, FCC ID: 2AEMI-E404X.

Tel: +86 755 8869 6566

Fax: +86 755 8869 6577



2 GENERAL INFORMATION

2.1 GENERAL DESCRIPTION OF EUT

PRODUCT	E Series Module	
BRAND NAME	Particle	
MODEL NAME	E404X	
NOMINAL VOLTAGE	5.0Vdc(adapter or host equipment 3.8Vdc (Li-ion, battery)	t)
MODULATION TYPE	LTE	QPSK, 16QAM
	LTE Band 5 (Channel Bandwidth: 1.4MHz)	824.7MHz ~ 848.3MHz
FREQUENCY RANGE	LTE Band 5 (Channel Bandwidth: 3MHz)	825.5MHz ~ 847.5MHz
	LTE Band 5 (Channel Bandwidth: 5MHz)	826.5MHz~ 846.5MHz
	LTE Band 5 (Channel Bandwidth: 10MHz)	829MHz ~ 844MHz
	LTE Band 5 (Channel Bandwidth: 1.4MHz)	192.75mW
MAX. ERP POWER	LTE Band 5 (Channel Bandwidth: 3MHz)	191.87mW
MAX. ERI TOWER	LTE Band 5 (Channel Bandwidth: 5MHz)	192.75mW
	LTE Band 5 (Channel Bandwidth: 10MHz)	194.98mW
	LTE Band 5	QPSK: 1M13G7D
	(Channel Bandwidth: 1.4MHz)	16QAM: 968KW7D
	LTE Band 5 (Channel Bandwidth: 3MHz)	QPSK: 1M13G7D
EMISSION		16QAM: 968KW7D
DESIGNATORGOGN	LTE Band 5 (Channel Bandwidth: 5MHz)	QPSK: 1M13G7D
		16QAM: 968KW7D
	LTE Band 5 (Channel Bandwidth: 10MHz)	QPSK: 1M13G7D
		16QAM: 968KW7D
ANTENNA TYPE	External Antenna(KIT) with 2.46dBi gain for LTE B5 External Antenna(Taoglas) with 1dBi gain for LTE B5	
HW VERSION	v1.0.0	
SW VERSION	V4.0.0	
I/O PORTS	Refer to user's manual	
CABLE SUPPLIED	N/A	
EXTREME TEMPERATURE	-40-75 °C	



EXTREME VOLTAGE $3.3V - 4.3V$

NOTE:

- 1. For a more detailed features description, please refer to the manufacturer's specifications or the user's manual.
- 2. The EUT incorporates a SISO function. Physically, the EUT provides one completed transmitter and one receiver.

MODULATION MODE	TX FUNCTION
LTE	1TX/1RX

- 3. For the test results, the EUT had been tested with all conditions. But only the worst case was shown in test report.
- 4. Sample Information:

Sample Number	Description
Sample 1	Main test Sample(U11:TI - bq24195, U12:Richtek -RT5760CHGH6F)
Sample 2	Based on Sample 1 changed U11 to TI - bq24190
Sample 3	Based on Sample 1 changed U12 to TI - TLV62568
Sample 4	Based on Sample 1 changed U12 to MPS - MP1601GTF-Z

Note: Full testing was performed by sample 1, other samples verified the worst case of RSE, Only the worst case data(Sample 1) was reported.

Tel: +86 755 8869 6566

Fax: +86 755 8869 6577



2.2 **GENERAL DESCRIPTION OF APPLIED STANDARDS**

The EUT is a RF product. According to the specifications of the manufacturer, it must comply with the requirements of the following standards:

FCC 47 CFR Part 2 FCC 47 CFR Part 22 KDB 971168 D01 Power Meas License Digital Systems v03r01 ANSI/TIA/EIA-603-D ANSI/TIA/EIA-603-E ANSI C63.26-2015

NOTE: All test items have been performed and recorded as per the above standards.



3 INFORMATION ON THE TESTING LABORATORIES

We, BV 7LAYERS COMMUNICATIONS TECHNOLOGY (SHENZHEN) CO. LTD., were founded in 2015 to provide our best service in EMC, Radio, Telecom and Safety consultation. Our laboratories are accredited and approved according to ISO/IEC 17025.

If you have any comments, please feel free to contact us at the following:

Shenzhen EMC/RF Lab:

Tel: +86-755-88696566 Fax: +86-755-88696577

Email: customerservice.sw@bureauveritas.com

Web Site: www.adt.com.tw

The address and road map of all our labs can be found in our web site also.

Tel: +86 755 8869 6566

Fax: +86 755 8869 6577



MODIFICATIONS RECORDERS FOR ENGINEERING CHANGES TO THE EUT BY THE LAB

No any modifications are made to the EUT by the lab during the test.

---END---