

TEST REPORT

LAB NO.	: (8818)351-0130
DATE	: Jan 11, 2019
PAGE	: 1 OF 9

APPLICANT	:	PARTICLE INDUSTRIES, INC 126 POST ST, 4TH FLOOR, SAN FRANCISCO, CA 94108 USA
DATE OF SUBMISSION	:	DEC 17, 2018
TEST PERIOD	:	DEC 17, 2018 TO JAN 11, 2019
SAMPLE DESCRIPTION	:	ELECTRON LTE
Style No. :		E402D
Sample Size:		1

SUMMARY OF TEST RESULTS

TEST REQUESTED	CONCLUSION	REMARK
European Parliament and Council Directive 2011/65/EU on the		
Restriction of the Use of Certain Hazardous Substances in	PASS	-
Electrical and Electronic Equipment (RoHS)		

BUREAU VERITAS SHENZHEN CO.,LTD DONGGUAN BRANCH

Harvey Xue Manager, Analytical Lab

RT/ER **REMARK**

If there are questions or concerns on this report, please contact the following persons:Report Enquiry:(86) 0769 89952999 Ext. 8175CPSAnalytical.DG@cn.bureauveritas.comBusiness Contact:(86) 0769 85893595


This report shall not be reproduced except in full, without the written approval of our laboratory.

Bureau Veritas Shenzhen Co., Ltd., Dongguan Branch No.34, Chenwulu section, Guantai Rd., Houjie Town, Dongguan City, Guangdong Province, China 523942 Tel:+86-769-89982098 Fax:+86-769-86991080 Website: www.bureauveritas.n/cys This report is governed by, and incorporates by reference, CPS Conditions of Service as posted at the date of issuance of this report at http://www.bureauveritas.com/home/about-uc/our-business/cps/about-uc/terms-conditions/and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permited only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results there of based upon the provident unset Measurement uncertainty is only provided upon request for accredited tests. You have 60 days from date of issuance of this report to notify us of any material error or onission caused by our negligence or if you require measurement uncertainty: provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise within the prost the shall constitute you unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.



LAB NO.	: (8818)351-0130
DATE	: Jan 11, 2019
PAGE	: 2 OF 9

Photo of the Submitted Sample





LAB NO.	: (8818)351-0130
DATE	: Jan 11, 2019
PAGE	: 3 OF 9

Test Item Description and Photo List

Test Item(s)	Sample Photo	Item / Component Description(s) Location(s)		Style(s)	
I001		Silvery metal	Cover, PCB, ELECTRON LTE	-	
1002		Red/black/white printed yellow plastic	Sticker, cover, PCB, ELECTRON LTE	-	
I003		Silvery metal	Contact plate, micro USB plug, PCB, ELECTRON LTE	-	
I004		Silvery metal	Pin, micro USB plug, PCB, ELECTRON LTE	-	
1005		Black plastic	Pin holder, micro USB plug, PCB, ELECTRON LTE	-	
I006		Beige plastic	Socket, PCB, ELECTRON LTE	-	
1007		Silvery metal	Contact plate, socket, PCB, ELECTRON LTE	-	
1008		Silvery metal	Pin, socket, PCB, ELECTRON LTE	-	
I009		Golden metal	Contact plate, plug, PCB, ELECTRON LTE	-	
I010		Golden metal	Pin, plug, PCB, ELECTRON LTE	-	
I011			White plastic	Pin holder, plug, PCB, ELECTRON LTE	-
I012		Black plastic	Button, touch switch, PCB, ELECTRON LTE	-	
I013		Silvery metal	Case, touch switch, PCB, ELECTRON LTE	-	
I014		Transparent/yellow plastic	Cover, contact plate, touch switch, PCB, ELECTRON LTE	-	
I015		Silvery metal	Contact plate, touch switch, PCB, ELECTRON LTE	-	
I016		Black plastic	Base, touch switch, PCB, ELECTRON LTE	-	
I017		Silvery metal	Pin, touch switch, PCB, ELECTRON LTE	-	
I018		White printed black body	Inductor, PCB, ELECTRON LTE	-	
I019		Coppery metal	Coil, inductor, PCB, ELECTRON LTE	-	



LAB NO.	: (8818)351-0130
DATE	: Jan 11, 2019
PAGE	: 4 OF 9

Test Item(s)	Sample Photo	Item / Component Description(s)	Location(s)	Style(s)
I020		Grey printed brown body	Inductor, PCB, ELECTRON LTE	-
I021		Coppery metal	Coil, inductor, PCB, ELECTRON LTE	-
I022		Black body	IC, PCB, ELECTRON LTE	-
I023		Beige printed black body	SMD IC, PCB, ELECTRON LTE	-
I024		Black body	SMD IC, PCB, ELECTRON LTE	-
I025		Black body	SMD resistor, PCB, ELECTRON LTE	-
I026		Brown body	SMD capacitor, PCB, ELECTRON LTE	-
I027		Grey body	SMD capacitor, PCB, ELECTRON LTE	-
I028		Yellow body	SMD LED, PCB, ELECTRON LTE	-
I029		White printed black body	SMD resistor, PCB, ELECTRON LTE	-
I030		Black body	SMD transistor, PCB, ELECTRON LTE	-
I031		Translucent/black body	SMD EC, PCB, ELECTRON LTE	-
I032		Silvery/golden body	SMD EC, PCB, ELECTRON LTE	-
I033		Grey printed beige body	SMD EC, PCB, ELECTRON LTE	-
I034		Silvery solder	Solder, PCB, ELECTRON LTE	-
I035		Green coated brown plastic with coppery metal	Green PCB, ELECTRON LTE	-
I036		Black plastic	Socket, PCB, ELECTRON LTE	-
I037		Golden metal	Pin, socket, PCB, ELECTRON LTE	-
I038		Silvery metal	Contact plate, socket, PCB, ELECTRON LTE	-
I039		Golden metal	Pin, socket, PCB, ELECTRON LTE	-
I040		Black plastic	Pin holder, socket, PCB, ELECTRON LTE	-



LAB NO.	: (8818)351-0130
DATE	: Jan 11, 2019
PAGE	: 5 OF 9

Test Item(s)	Sample Photo	Item / Component Description(s)	Location(s)	Style(s)
I041		Black body	Inductor, PCB, ELECTRON LTE	-
I042		Coppery metal	Coil, inductor, PCB, ELECTRON LTE	-
I043		Black body	IC, PCB, ELECTRON LTE	-
I044		Silvery metal	Pin, IC, PCB, ELECTRON LTE	-
I045		Black body	SMD IC, PCB, ELECTRON LTE	-
I046		Black body	SMD diode, PCB, ELECTRON LTE	-
I047		Yellow/orange body	SMD EC, PCB, ELECTRON LTE	-
I048		Silvery/golden body	SMD EC, PCB, ELECTRON LTE	-
I049		Silvery solder	Solder, PCB, ELECTRON LTE	-
1050		Green coated brown plastic with coppery metal	PCB, ELECTRON LTE	_



TEST RESULT

Compliance Test – European Parliament and Council Directive 2011/65/EU on the Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment (RoHS)

Test Method : See Appendix.

See Analytes and their corresponding Maximum Allowable Limit in Appendix

-		Result					
Parameter	Lead (Pb)	Cadmium (Cd)	Mercury (Hg)	Chromium VI (Cr VI)	PBBs	PBDEs	Conclusion
Unit			mg	g/kg			-
Test Item(s)	-	-	-	-	-	-	-
I001	ND	ND	ND	ND	NA	NA	PASS
1002	ND	ND	ND	ND	ND	ND	PASS
1003	160*	ND	ND	ND	NA	NA	PASS
I004	ND	ND	ND	ND	NA	NA	PASS
I005	ND	ND	ND	ND	ND	ND	PASS
I006	ND	ND	ND	ND	ND*	ND*	PASS
I007	56*	ND	ND	ND	NA	NA	PASS
1008	ND	ND	ND	ND	NA	NA	PASS
1009	ND	ND	ND	ND	NA	NA	PASS
I010	ND	ND	ND	ND	NA	NA	PASS
I011	ND	ND	ND	ND	ND	ND	PASS
I012	ND	ND	ND	ND	ND	ND	PASS
I013	ND	ND	ND	Negative*	NA	NA	PASS
I014	ND	ND	ND	Negative*	NA	NA	PASS
I015	ND	ND	ND	Negative*	NA	NA	PASS
I016	ND	ND	ND	ND	ND	ND	PASS
I017	ND	ND	ND	ND	NA	NA	PASS
I018	ND	ND	ND	ND	ND	ND	PASS
I019	ND	ND	ND	ND	NA	NA	PASS
I020	ND	ND	ND	ND	ND	ND	PASS
I021	ND	ND	ND	ND	NA	NA	PASS
I022	ND	ND	ND	ND	ND	ND	PASS
I023	ND	ND	ND	ND	ND	ND	PASS
I024	ND	ND	ND	ND	ND	ND	PASS
I025	ND	ND	ND	ND	ND	ND	PASS
I026	ND	ND	ND	ND	ND	ND	PASS
I027	ND	ND	ND	ND	ND	ND	PASS
I028	ND	ND	ND	ND	ND	ND	PASS

BUREAU VERITAS				LAB NO. DATE PAGE	:	(8818)351-0 Jan 11, 2019 7 OF 9	
I029	ND	ND	ND	ND	ND	ND	PASS
I030	ND	ND	ND	ND	ND	ND	PASS
I031	ND	ND	ND	ND	ND	ND	PASS
I032	ND	ND	ND	ND	ND	ND	PASS
I033	ND	ND	ND	ND	ND	ND	PASS
I034	ND	ND	ND	ND	NA	NA	PASS
I035	ND	ND	ND	ND	ND	ND	PASS
I036	ND	ND	ND	ND	ND*	ND*	PASS
I037	ND	ND	ND	ND	NA	NA	PASS
I038	ND	ND	ND	Negative*	NA	NA	PASS
I039	ND	ND	ND	ND	NA	NA	PASS
I040	ND	ND	ND	ND	ND	ND	PASS
I041	ND	ND	ND	ND	ND	ND	PASS
I042	ND	ND	ND	ND	NA	NA	PASS
I043	ND	ND	ND	ND	ND	ND	PASS
I044	ND	ND	ND	ND	NA	NA	PASS
I045	ND	ND	ND	ND	ND	ND	PASS
I046	ND	ND	ND	ND	ND	ND	PASS
I047	ND	ND	ND	ND	ND	ND	PASS
I048	ND	ND	ND	ND	ND	ND	PASS
I049	ND	ND	ND	ND	NA	NA	PASS
1050	ND	ND	ND	ND	ND*	ND*	PASS

Note / Key:

WAU VED

ND = Not detected NR = Not requested NA = Not applicable ">" = Greater than "<" = Less than mg/kg = milligram(s) per kilogram = ppm = part(s) per million % = percent 10000 mg/kg = 1 %

Detection Limit : See Appendix.

Remark:

- The testing approach is listed in table of Appendix.
- * denotes as reported result(s) was (were) performed by wet chemistry method. Others were screened by XRF. For XRF screening, the result(s) of Cr VI was (were) reported as total chromium and the result(s) of PBBs and PBDEs was (were) reported as total bromine. Also, the XRF result(s) may be different to the actual content based on various factors including, but not limit to, sample size, thickness, area, non-uniformity composition, surface flatness.
- According to European Council Directive 2011/65/EU, Article 5 "Adaptation of the Annexes to scientific and technical progress", exemption(s) should be granted to the materials and components of Test Item(s) in the lists in Annexes III and IV of this directive.
- The items 034,049 were resubmitted by client dated on Jan 7, 2019.



LAB NO.	: (8818)351-0130
DATE	: Jan 11, 2019
PAGE	: 8 OF 9

APPENDIX

List of Analytes and their Corresponding Test Methods, Detection Limit and Maximum Allowable Limit [Compliance Test for European Parliament and Council Directive 2011/65/EU] :							
No.	Name of Analytes	Detection Limit (mg/kg)					
		X-ray fluorescence (XRF) ^[a]				Maximum Allowable	
		Plastic	Metallic / glass / ceramic	Others	Wet Chemistry	Limit (mg/kg)	
1	Lead (Pb)	100	200	200	10 ^[b]	1000	
2	Cadmium (Cd)	50	50	50	10 ^[b]	100	
3	Mercury (Hg)	100	200	200	10 ^[c]	1000	
4	Chromium (Cr)	100	200	200	NA	NA	
5	Chromium VI (Cr VI)	NA	NA	NA	3 ^[g, h] / 10 ^[d] / See ^[e, j]	1000 / Negative ^[j]	
6	Bromine (Br)	200	NA	200	NA	NA	
7	 Polybromobiphenyls (PBBs) Bromobiphenyl (MonoBB) Dibromobiphenyl (DiBB) Tribromobiphenyl (TriBB) Tetrabromobiphenyl (TetraBB) Pentabromobiphenyl (PentaBB) Hexabromobiphenyl (HexaBB) Heptabromobiphenyl (HeptaBB) Octabromobiphenyl (OctaBB) Nonabromobiphenyl (NonaBB) Decabromobiphenyl (DecaBB) 	NA	NA	NA	Each 50 ^[f]	Sum 1000	
8	 Polybromodiphenyl ethers (PBDEs) Bromodiphenyl ether (MonoBDE) Dibromodiphenyl ether (DiBDE) Tribromodiphenyl ether (TriBDE) Tetrabromodiphenyl ether (TetraBDE) Pentabromodiphenyl ether (PentaBDE) Hexabromodiphenyl ether (HexaBDE) Heptabromodiphenyl ether (HeptaBDE) Octabromodiphenyl ether (OctaBDE) Nonabromodiphenyl ether (NonaBDE) Decabromodiphenyl ether (DecaBDE) 	NA	NA	NA	Each 50 ^[f]	Sum 1000	



LAB NO.	: (8818)351-0130
DATE	: Jan 11, 2019
PAGE	: 9 OF 9

List of Analytes and their Corresponding Test Methods, Detection Limit and Maximum Allowable Limit [Compliance Test for European Parliament and Council Directive 2011/65/EU]:

NA = Not applicable

- ^[a] Test method with reference to International Standard IEC 62321-3-1: 2013.
- ^[b] Test method with reference to International Standard IEC 62321-5: 2013.
- ^[c] Test method with reference to International Standard IEC 62321-4: 2017.
- ^[d] Polymers and Electronics Test method with reference to European Standard EN 62321-7-2: 2017.
- [e] Metal Test method with reference to International Standard IEC 62321-7-1: 2015.
- ^[f] Test method with reference to International Standard IEC 62321-6: 2015.
- [g] Leather Test method International Standard ISO 17075-1:2017.
- [h] Other Than Metal, Leather, Polymers and Electronics Test method with reference to International Standard ISO 17075-1:2017.
- [i] The principle of this method was evaluated and supported by two studies organized by IEC TC 111 WG3. These studies were focused on detecting the presence of Cr VI in the corrosion protection coatings on metallic samples.
- Result(s) of Cr VI for metallic material(s) was (were) expressed in term of positive and negative. Negative means the absence of Cr VI on the tested areas and the result(s) was (were) regarded as in compliance with European Parliament and Council Directive 2011/65/EU, Article 4(1). While, positive means the presence of Cr VI on tested areas and the result(s) was (were) regarded as in conflict with European Parliament and Council Directive 2011/65/EU, Article 4(1).

Testing Approach [Compliance Test for European Parliament and Council Directive 2011/65/EU] :

The testing approach was with reference to the following document(s).

- 1 International Standards IEC 62321-1: 2013 and IEC 62321-2: 2013
- 2 "RoHS Enforcement Guidance Document Version 1" by EU RoHS Enforcement Authorities Informal Network. (May 2006)
- "RoHS Regulations Government Guidance Notes" by United Kingdom Department for Business Innovation & Skills. (February 2011)
- 4 "Final Report to RoHS substances (Hg, Pb, Cr(VI), Cd, PBB and PBDE) in electrical and electronic equipment in Belgium" by Belgium Federal Public Service Health, Food Chain Safety and Environment. (November 2005)

*** End of Report ***