


Project Information

Mode:	802.11ax(HE20) RU242 Left	Band:	-
Bandwidth	-	Channel	5500
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2236.13	30.48	1.98	32.46	54.00	21.54	Horizontal	PASS
2	5500.65	35.93	14.68	50.61	-	-	Horizontal	NA
3	12395.86	34.18	6.17	40.35	54.00	13.65	Horizontal	PASS
4	17873.50	32.03	13.69	45.72	54.00	8.28	Horizontal	PASS
5	2278.48	38.04	1.93	39.97	74.00	34.03	Horizontal	PASS
6	5500.38	43.00	14.68	57.68	-	-	Horizontal	NA
7	12367.11	41.49	5.58	47.07	74.00	26.93	Horizontal	PASS
8	17974.70	38.88	13.43	52.31	74.00	21.69	Horizontal	PASS

Project Information

Mode:	802.11ax(HE20) RU242 Left	Band:	-
Bandwidth	-	Channel	5500
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2251.53	30.31	2.20	32.51	54.00	21.49	Vertical	PASS
2	5502.03	36.71	14.68	51.39	-	-	Vertical	NA
3	12655.77	34.18	6.16	40.34	54.00	13.66	Vertical	PASS
4	17975.85	32.11	13.44	45.55	54.00	8.45	Vertical	PASS
5	2198.18	41.65	1.35	43.00	68.20	25.20	Vertical	PASS
6	5501.48	44.81	14.68	59.49	-	-	Vertical	NA
7	8800.08	45.81	1.90	47.71	68.20	20.49	Vertical	PASS
8	17867.36	39.05	13.76	52.81	74.00	21.19	Vertical	PASS

Project Information

Mode:	802.11ax(HE20) RU242 Left	Band:	-
Bandwidth	-	Channel	5580
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 16		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2225.68	30.67	1.79	32.46	54.00	21.54	Horizontal	PASS
2	5585.35	31.26	14.70	45.96	-	-	Horizontal	NA
3	12396.63	33.91	6.19	40.10	54.00	13.90	Horizontal	PASS
4	17873.11	32.15	13.69	45.84	54.00	8.16	Horizontal	PASS
5	2234.75	38.88	1.95	40.83	74.00	33.17	Horizontal	PASS
6	5582.88	37.26	14.70	51.96	-	-	Horizontal	NA
7	12381.68	41.21	5.88	47.09	74.00	26.91	Horizontal	PASS
8	17875.03	38.49	13.66	52.15	74.00	21.85	Horizontal	PASS

Project Information			
Mode:	802.11ax(HE20) RU242 Left	Band:	-
Bandwidth	-	Channel	5580
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 16		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2224.85	30.58	1.78	32.36	54.00	21.64	Vertical	PASS
2	5585.35	31.45	14.70	46.15	-	-	Vertical	NA
3	12377.08	34.73	5.78	40.51	54.00	13.49	Vertical	PASS
4	17997.32	31.76	13.75	45.51	54.00	8.49	Vertical	PASS
5	2192.13	41.20	1.34	42.54	68.20	25.66	Vertical	PASS
6	5584.80	39.41	14.70	54.11	-	-	Vertical	NA
7	6698.19	51.72	-2.58	49.14	68.20	19.06	Vertical	PASS
8	17985.82	38.82	13.58	52.40	74.00	21.60	Vertical	PASS

Project Information

Mode:	802.11ax(HE20) RU242 Left	Band:	-
Bandwidth	-	Channel	5700
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2228.70	30.71	1.84	32.55	54.00	21.45	Horizontal	PASS
2	5707.18	34.67	14.90	49.57	-	-	Horizontal	NA
3	12628.17	34.87	5.69	40.56	54.00	13.44	Horizontal	PASS
4	17886.15	32.44	13.52	45.96	54.00	8.04	Horizontal	PASS
5	2211.65	38.38	1.55	39.93	74.00	34.07	Horizontal	PASS
6	5703.88	41.86	14.89	56.75	-	-	Horizontal	NA
7	12658.84	42.36	6.14	48.50	74.00	25.50	Horizontal	PASS
8	17889.21	38.87	13.48	52.35	74.00	21.65	Horizontal	PASS

Project Information

Mode:	802.11ax(HE20) RU242 Left	Band:	-
Bandwidth	-	Channel	5700
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2213.85	31.17	1.58	32.75	54.00	21.25	Vertical	PASS
2	5706.35	36.26	14.90	51.16	-	-	Vertical	NA
3	9120.17	43.98	2.59	46.57	54.00	7.43	Vertical	PASS
4	17986.58	32.09	13.60	45.69	54.00	8.31	Vertical	PASS
5	2225.40	38.71	1.78	40.49	74.00	33.51	Vertical	PASS
6	5706.08	44.65	14.90	59.55	-	-	Vertical	NA
7	9119.79	47.34	2.59	49.93	74.00	24.07	Vertical	PASS
8	17971.63	38.86	13.38	52.24	74.00	21.76	Vertical	PASS

Project Information

Mode:	802.11ax(HE20) RU242 Left	Band:	-
Bandwidth	-	Channel	5745
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2256.20	30.18	1.88	32.06	54.00	21.94	Horizontal	PASS
2	12361.75	34.44	5.47	39.91	54.00	14.09	Horizontal	PASS
3	17862.76	31.83	13.83	45.66	54.00	8.34	Horizontal	PASS
4	2259.50	38.51	1.88	40.39	74.00	33.61	Horizontal	PASS
5	11519.53	42.92	4.84	47.76	74.00	26.24	Horizontal	PASS
6	17998.85	38.82	13.78	52.60	74.00	21.40	Horizontal	PASS

Project Information

Mode:	802.11ax(HE20) RU242 Left	Band:	-
Bandwidth	-	Channel	5745
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2239.43	30.82	1.82	32.64	54.00	21.36	Vertical	PASS
2	5742.10	31.18	15.67	46.85	-	-	Vertical	NA
3	9192.24	42.57	2.94	45.51	54.00	8.49	Vertical	PASS
4	17886.91	32.02	13.51	45.53	54.00	8.47	Vertical	PASS
5	2199.83	39.80	1.57	41.37	68.20	26.83	Vertical	PASS
6	5740.73	38.11	15.68	53.79	-	-	Vertical	NA
7	9192.24	45.69	2.94	48.63	74.00	25.37	Vertical	PASS
8	17828.64	40.38	13.08	53.46	74.00	20.54	Vertical	PASS

Project Information

Mode:	802.11ax(HE20) RU242 Left	Band:	-
Bandwidth	-	Channel	5785
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 17		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2346.95	30.96	2.14	33.10	54.00	20.90	Horizontal	PASS
2	5790.78	32.86	15.67	48.53	-	-	Horizontal	NA
3	12402.38	34.39	6.22	40.61	54.00	13.39	Horizontal	PASS
4	17974.70	32.48	13.43	45.91	54.00	8.09	Horizontal	PASS
5	2270.50	38.78	1.89	40.67	74.00	33.33	Horizontal	PASS
6	5790.50	41.21	15.68	56.89	-	-	Horizontal	NA
7	9038.90	43.55	2.35	45.90	74.00	28.10	Horizontal	PASS
8	17882.31	38.67	13.57	52.24	74.00	21.76	Horizontal	PASS

Project Information			
Mode:	802.11ax(HE20) RU242 Left	Band:	-
Bandwidth	-	Channel	5785
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 17		


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2269.95	31.66	1.89	33.55	54.00	20.45	Vertical	PASS
2	5790.78	34.20	15.67	49.87	-	-	Vertical	NA
3	9256.26	41.83	2.81	44.64	-	-	Vertical	NA
4	17975.08	31.78	13.43	45.21	54.00	8.79	Vertical	PASS
5	2264.18	38.02	1.89	39.91	74.00	34.09	Vertical	PASS
6	5790.50	42.56	15.68	58.24	-	-	Vertical	NA
7	9256.26	44.99	2.81	47.80	68.20	20.40	Vertical	PASS
8	17976.62	39.62	13.46	53.08	74.00	20.92	Vertical	PASS

Project Information

Mode:	802.11ax(HE20) RU242 Left	Band:	-
Bandwidth	-	Channel	5825
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2290.85	30.70	1.89	32.59	54.00	21.41	Horizontal	PASS
2	5820.20	34.64	15.66	50.30	-	-	Horizontal	NA
3	12685.29	35.21	6.01	41.22	54.00	12.78	Horizontal	PASS
4	17887.68	32.44	13.50	45.94	54.00	8.06	Horizontal	PASS
5	2257.30	38.15	1.88	40.03	74.00	33.97	Horizontal	PASS
6	5821.03	41.74	15.66	57.40	-	-	Horizontal	NA
7	12697.94	41.78	5.94	47.72	74.00	26.28	Horizontal	PASS
8	17892.28	38.77	13.44	52.21	74.00	21.79	Horizontal	PASS

Project Information

Mode:	802.11ax(HE20) RU242 Left	Band:	-
Bandwidth	-	Channel	5825
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2260.05	30.57	1.88	32.45	54.00	21.55	Vertical	PASS
2	5820.75	35.97	15.66	51.63	-	-	Vertical	NA
3	12397.40	34.13	6.20	40.33	54.00	13.67	Vertical	PASS
4	17858.16	31.62	13.89	45.51	54.00	8.49	Vertical	PASS
5	2247.68	38.57	1.87	40.44	74.00	33.56	Vertical	PASS
6	5821.03	43.89	15.66	59.55	-	-	Vertical	NA
7	7766.58	47.24	-0.82	46.42	68.20	21.78	Vertical	PASS
8	17871.58	38.92	13.71	52.63	74.00	21.37	Vertical	PASS

Project Information

Mode:	802.11ax(HE20) RU242 Left	Band:	-
Bandwidth	-	Channel	5720
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2229.53	30.50	1.86	32.36	54.00	21.64	Horizontal	PASS
2	5729.18	71.81	14.91	86.72	-	-	Horizontal	NA
3	12362.51	34.65	5.49	40.14	54.00	13.86	Horizontal	PASS
4	17895.73	32.25	13.39	45.64	54.00	8.36	Horizontal	PASS
5	2249.60	38.98	2.22	41.20	74.00	32.80	Horizontal	PASS
6	5728.90	78.59	14.91	93.50	-	-	Horizontal	NA
7	12263.61	42.33	5.26	47.59	74.00	26.41	Horizontal	PASS
8	17987.35	38.69	13.61	52.30	74.00	21.70	Horizontal	PASS

Project Information

Mode:	802.11ax(HE20) RU242 Left	Band:	-
Bandwidth	-	Channel	5720
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2242.18	30.43	2.08	32.51	54.00	21.49	Vertical	PASS
2	5729.18	72.63	14.91	87.54	-	-	Vertical	NA
3	9152.37	42.86	3.35	46.21	54.00	7.79	Vertical	PASS
4	17866.21	31.68	13.78	45.46	54.00	8.54	Vertical	PASS
5	2230.08	38.24	1.87	40.11	74.00	33.89	Vertical	PASS
6	5729.18	78.95	14.91	93.86	-	-	Vertical	NA
7	9151.99	44.74	3.35	48.09	74.00	25.91	Vertical	PASS
8	17854.71	38.45	13.93	52.38	74.00	21.62	Vertical	PASS

Project Information

Mode:	802.11ax(HE40) RU484 Left	Band:	-
Bandwidth	-	Channel	5190
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2268.58	30.25	1.90	32.15	54.00	21.85	Horizontal	PASS
2	5177.25	35.76	13.91	49.67	-	-	Horizontal	NA
3	12395.48	34.22	6.17	40.39	54.00	13.61	Horizontal	PASS
4	17881.55	32.26	13.58	45.84	54.00	8.16	Horizontal	PASS
5	2252.63	38.09	1.98	40.07	74.00	33.93	Horizontal	PASS
6	5176.98	43.48	13.91	57.39	-	-	Horizontal	NA
7	6920.15	48.91	-1.90	47.01	68.20	21.19	Horizontal	PASS
8	17964.35	39.29	13.28	52.57	74.00	21.43	Horizontal	PASS

Project Information

Mode:	802.11ax(HE40) RU484 Left	Band:	-
Bandwidth	-	Channel	5190
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2238.88	30.38	1.84	32.22	54.00	21.78	Vertical	PASS
2	5175.88	34.63	13.90	48.53	-	-	Vertical	NA
3	12196.14	35.44	5.23	40.67	54.00	13.33	Vertical	PASS
4	17866.21	31.84	13.78	45.62	54.00	8.38	Vertical	PASS
5	2197.35	40.20	1.32	41.52	68.20	26.68	Vertical	PASS
6	5175.05	43.22	13.90	57.12	-	-	Vertical	NA
7	6920.15	54.41	-1.90	52.51	68.20	15.69	Vertical	PASS
8	17966.27	38.67	13.31	51.98	74.00	22.02	Vertical	PASS

Project Information

Mode:	802.11ax(HE40) RU484 Left	Band:	-
Bandwidth	-	Channel	5230
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2247.68	30.26	1.96	32.22	54.00	21.78	Horizontal	PASS
2	11455.13	35.24	5.04	40.28	54.00	13.72	Horizontal	PASS
3	17866.98	31.66	13.77	45.43	54.00	8.57	Horizontal	PASS
4	2239.98	39.07	1.86	40.93	74.00	33.07	Horizontal	PASS
5	6973.43	49.66	-1.96	47.70	68.20	20.50	Horizontal	PASS
6	17992.72	39.49	13.68	53.17	74.00	20.83	Horizontal	PASS

Project Information

Mode:	802.11ax(HE40) RU484 Left	Band:	-
Bandwidth	-	Channel	5230
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2247.13	30.79	1.95	32.74	54.00	21.26	Vertical	PASS
2	12389.73	34.56	6.05	40.61	54.00	13.39	Vertical	PASS
3	17879.63	32.35	13.61	45.96	54.00	8.04	Vertical	PASS
4	2246.85	37.84	1.95	39.79	74.00	34.21	Vertical	PASS
5	6973.05	54.90	-1.97	52.93	68.20	15.27	Vertical	PASS
6	17881.93	38.82	13.57	52.39	74.00	21.61	Vertical	PASS

Project Information

Mode:	802.11ax(HE40) RU484 Left	Band:	-
Bandwidth	-	Channel	5270
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2243.55	30.59	1.90	32.49	54.00	21.51	Horizontal	PASS
2	5275.15	32.61	14.32	46.93	-	-	Horizontal	NA
3	12437.26	34.80	5.50	40.30	54.00	13.70	Horizontal	PASS
4	17991.95	32.08	13.68	45.76	54.00	8.24	Horizontal	PASS
5	2241.35	38.03	1.88	39.91	74.00	34.09	Horizontal	PASS
6	5271.85	38.53	14.30	52.83	-	-	Horizontal	NA
7	7026.33	50.06	-1.62	48.44	68.20	19.76	Horizontal	PASS
8	17994.25	39.41	13.71	53.12	74.00	20.88	Horizontal	PASS

Project Information

Mode:	802.11ax(HE40) RU484 Left	Band:	-
Bandwidth	-	Channel	5270
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2216.60	31.16	1.55	32.71	54.00	21.29	Vertical	PASS
2	5273.23	31.29	14.31	45.60	-	-	Vertical	NA
3	12046.25	35.12	5.42	40.54	54.00	13.46	Vertical	PASS
4	17842.83	32.07	13.69	45.76	54.00	8.24	Vertical	PASS
5	2236.68	38.47	1.81	40.28	74.00	33.72	Vertical	PASS
6	5272.95	38.63	14.31	52.94	-	-	Vertical	NA
7	7026.72	53.28	-1.62	51.66	68.20	16.54	Vertical	PASS
8	17977.77	39.14	13.47	52.61	74.00	21.39	Vertical	PASS

Project Information

Mode:	802.11ax(HE40) RU484 Left	Band:	-
Bandwidth	-	Channel	5310
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 17		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2239.70	30.21	1.86	32.07	54.00	21.93	Horizontal	PASS
2	5322.45	34.82	14.55	49.37	-	-	Horizontal	NA
3	12059.67	35.07	5.38	40.45	54.00	13.55	Horizontal	PASS
4	17886.53	32.31	13.51	45.82	54.00	8.18	Horizontal	PASS
5	2243.83	38.54	1.91	40.45	74.00	33.55	Horizontal	PASS
6	5321.08	42.31	14.55	56.86	-	-	Horizontal	NA
7	7080.00	47.84	-1.53	46.31	68.20	21.89	Horizontal	PASS
8	17870.81	38.27	13.72	51.99	74.00	22.01	Horizontal	PASS

Project Information			
Mode:	802.11ax(HE40) RU484 Left	Band:	-
Bandwidth	-	Channel	5310
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 17		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2214.68	30.88	1.53	32.41	54.00	21.59	Vertical	PASS
2	5322.18	32.95	14.55	47.50	-	-	Vertical	NA
3	12024.40	35.13	5.32	40.45	54.00	13.55	Vertical	PASS
4	17939.43	32.95	13.13	46.08	54.00	7.92	Vertical	PASS
5	2239.43	37.89	1.85	39.74	74.00	34.26	Vertical	PASS
6	5321.90	40.71	14.55	55.26	-	-	Vertical	NA
7	7080.00	51.35	-1.53	49.82	68.20	18.38	Vertical	PASS
8	17863.53	39.15	13.82	52.97	74.00	21.03	Vertical	PASS

Project Information

Mode:	802.11ax(HE40) RU484 Left	Band:	-
Bandwidth	-	Channel	5510
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 16		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2235.85	30.68	1.98	32.66	54.00	21.34	Horizontal	PASS
2	5501.20	33.81	14.68	48.49	-	-	Horizontal	NA
3	12416.95	34.67	5.91	40.58	54.00	13.42	Horizontal	PASS
4	17862.38	32.57	13.82	46.39	54.00	7.61	Horizontal	PASS
5	2214.13	39.27	1.58	40.85	74.00	33.15	Horizontal	PASS
6	5501.75	40.48	14.68	55.16	-	-	Horizontal	NA
7	12416.56	41.68	5.92	47.60	74.00	26.40	Horizontal	PASS
8	17862.00	38.95	13.83	52.78	74.00	21.22	Horizontal	PASS

Project Information			
Mode:	802.11ax(HE40) RU484 Left	Band:	-
Bandwidth	-	Channel	5510
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 16		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2220.45	30.85	1.70	32.55	54.00	21.45	Vertical	PASS
2	5500.65	33.10	14.68	47.78	-	-	Vertical	NA
3	12404.30	33.93	6.17	40.10	54.00	13.90	Vertical	PASS
4	17844.74	31.55	13.77	45.32	54.00	8.68	Vertical	PASS
5	2304.05	38.54	1.74	40.28	68.20	27.92	Vertical	PASS
6	5501.20	41.45	14.68	56.13	-	-	Vertical	NA
7	8815.79	45.16	2.30	47.46	68.20	20.74	Vertical	PASS
8	17934.83	39.32	13.15	52.47	74.00	21.53	Vertical	PASS

Project Information

Mode:	802.11ax(HE40) RU484 Left	Band:	-
Bandwidth	-	Channel	5550
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2227.60	30.42	1.83	32.25	54.00	21.75	Horizontal	PASS
2	5545.20	32.53	14.62	47.15	-	-	Horizontal	NA
3	12611.30	34.75	5.31	40.06	54.00	13.94	Horizontal	PASS
4	17850.11	31.26	13.99	45.25	54.00	8.75	Horizontal	PASS
5	2244.93	37.62	2.13	39.75	74.00	34.25	Horizontal	PASS
6	5546.03	39.69	14.62	54.31	-	-	Horizontal	NA
7	12637.37	41.17	5.90	47.07	74.00	26.93	Horizontal	PASS
8	17832.86	39.35	13.26	52.61	74.00	21.39	Horizontal	PASS

Project Information

Mode:	802.11ax(HE40) RU484 Left	Band:	-
Bandwidth	-	Channel	5550
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2226.50	30.41	1.81	32.22	54.00	21.78	Vertical	PASS
2	5543.55	32.77	14.62	47.39	-	-	Vertical	NA
3	12415.80	34.21	5.94	40.15	54.00	13.85	Vertical	PASS
4	17963.20	32.34	13.26	45.60	54.00	8.40	Vertical	PASS
5	2186.35	38.48	1.35	39.83	68.20	28.37	Vertical	PASS
6	5544.65	40.19	14.62	54.81	-	-	Vertical	NA
7	12798.76	43.16	6.02	49.18	68.20	19.02	Vertical	PASS
8	17847.04	39.04	13.86	52.90	74.00	21.10	Vertical	PASS

Project Information

Mode:	802.11ax(HE40) RU484 Left	Band:	-
Bandwidth	-	Channel	5670
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2238.05	31.14	2.01	33.15	54.00	20.85	Horizontal	PASS
2	5681.05	36.65	14.92	51.57	-	-	Horizontal	NA
3	12056.60	35.29	5.40	40.69	54.00	13.31	Horizontal	PASS
4	17838.23	33.15	13.49	46.64	54.00	7.36	Horizontal	PASS
5	2250.43	38.95	2.21	41.16	74.00	32.84	Horizontal	PASS
6	5679.13	44.14	14.92	59.06	-	-	Horizontal	NA
7	12074.62	42.14	5.31	47.45	74.00	26.55	Horizontal	PASS
8	17837.84	40.91	13.48	54.39	74.00	19.61	Horizontal	PASS

Project Information

Mode:	802.11ax(HE40) RU484 Left	Band:	-
Bandwidth	-	Channel	5670
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 16		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2228.15	31.16	1.84	33.00	54.00	21.00	Vertical	PASS
2	5679.95	36.25	14.92	51.17	-	-	Vertical	NA
3	9072.25	44.67	2.19	46.86	54.00	7.14	Vertical	PASS
4	17880.78	32.51	13.59	46.10	54.00	7.90	Vertical	PASS
5	2197.90	40.66	1.35	42.01	68.20	26.19	Vertical	PASS
6	5679.95	43.89	14.92	58.81	-	-	Vertical	NA
7	9071.87	46.97	2.19	49.16	74.00	24.84	Vertical	PASS
8	17863.53	39.81	13.82	53.63	74.00	20.37	Vertical	PASS

Project Information			
Mode:	802.11ax(HE40) RU484 Left	Band:	-
Bandwidth	-	Channel	5755
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 16		


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2280.68	30.73	1.89	32.62	54.00	21.38	Horizontal	PASS
2	11428.68	35.00	5.21	40.21	54.00	13.79	Horizontal	PASS
3	17880.40	32.24	13.59	45.83	54.00	8.17	Horizontal	PASS
4	2270.23	38.64	1.89	40.53	74.00	33.47	Horizontal	PASS
5	11452.83	42.66	5.06	47.72	74.00	26.28	Horizontal	PASS
6	17880.01	39.74	13.60	53.34	74.00	20.66	Horizontal	PASS

Project Information

Mode:	802.11ax(HE40) RU484 Left	Band:	-
Bandwidth	-	Channel	5755
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2257.58	31.17	1.89	33.06	54.00	20.94	Vertical	PASS
2	12277.03	35.36	5.13	40.49	54.00	13.51	Vertical	PASS
3	17875.80	31.79	13.65	45.44	54.00	8.56	Vertical	PASS
4	2195.98	40.09	1.54	41.63	68.20	26.57	Vertical	PASS
5	9207.96	45.91	2.85	48.76	68.20	19.44	Vertical	PASS
6	17990.80	38.85	13.65	52.50	74.00	21.50	Vertical	PASS

Project Information

Mode:	802.11ax(HE40) RU484 Left	Band:	-
Bandwidth	-	Channel	5795
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 17		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2260.33	30.95	1.88	32.83	54.00	21.17	Horizontal	PASS
2	5808.93	32.10	15.68	47.78	-	-	Horizontal	NA
3	12810.26	35.73	6.01	41.74	-	-	Horizontal	NA
4	17859.70	32.49	13.86	46.35	54.00	7.65	Horizontal	PASS
5	2234.48	38.89	1.79	40.68	74.00	33.32	Horizontal	PASS
6	5808.65	40.19	15.68	55.87	-	-	Horizontal	NA
7	12576.42	42.45	5.12	47.57	74.00	26.43	Horizontal	PASS
8	17881.55	39.32	13.58	52.90	74.00	21.10	Horizontal	PASS

Project Information			
Mode:	802.11ax(HE40) RU484 Left	Band:	-
Bandwidth	-	Channel	5795
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 17		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2250.70	30.74	1.88	32.62	54.00	21.38	Vertical	PASS
2	5809.75	33.21	15.67	48.88	-	-	Vertical	NA
3	12394.33	34.19	6.14	40.33	54.00	13.67	Vertical	PASS
4	17975.08	32.49	13.43	45.92	54.00	8.08	Vertical	PASS
5	2256.48	38.69	1.88	40.57	74.00	33.43	Vertical	PASS
6	5809.20	41.72	15.68	57.40	-	-	Vertical	NA
7	9271.98	46.38	2.91	49.29	68.20	18.91	Vertical	PASS
8	17857.40	38.84	13.89	52.73	74.00	21.27	Vertical	PASS

Project Information

Mode:	802.11ax(HE40) RU484 Left	Band:	-
Bandwidth	-	Channel	5710
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2228.15	30.90	1.84	32.74	54.00	21.26	Horizontal	PASS
2	5728.90	66.53	14.91	81.44	-	-	Horizontal	NA
3	12060.05	35.34	5.38	40.72	54.00	13.28	Horizontal	PASS
4	17980.83	32.49	13.51	46.00	54.00	8.00	Horizontal	PASS
5	2228.70	38.61	1.84	40.45	74.00	33.55	Horizontal	PASS
6	5728.90	74.21	14.91	89.12	-	-	Horizontal	NA
7	12392.80	42.58	6.12	48.70	74.00	25.30	Horizontal	PASS
8	17852.41	38.95	13.95	52.90	74.00	21.10	Horizontal	PASS

Project Information

Mode:	802.11ax(HE40) RU484 Left	Band:	-
Bandwidth	-	Channel	5710
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2247.68	30.31	2.18	32.49	54.00	21.51	Vertical	PASS
2	5728.90	65.58	14.91	80.49	-	-	Vertical	NA
3	9136.27	44.28	3.02	47.30	54.00	6.70	Vertical	PASS
4	17858.55	31.73	13.88	45.61	54.00	8.39	Vertical	PASS
5	2247.40	38.85	2.17	41.02	74.00	32.98	Vertical	PASS
6	5728.35	74.78	14.91	89.69	-	-	Vertical	NA
7	9136.27	46.25	3.02	49.27	74.00	24.73	Vertical	PASS
8	17911.83	39.16	13.28	52.44	74.00	21.56	Vertical	PASS

Project Information

Mode:	802.11ax(HE80) RU996 Left	Band:	-
Bandwidth	-	Channel	5210
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2283.70	30.99	1.83	32.82	54.00	21.18	Horizontal	PASS
2	5178.08	32.92	13.90	46.82	-	-	Horizontal	NA
3	12060.44	35.05	5.38	40.43	54.00	13.57	Horizontal	PASS
4	17868.13	32.01	13.76	45.77	54.00	8.23	Horizontal	PASS
5	2238.33	38.62	1.84	40.46	74.00	33.54	Horizontal	PASS
6	5175.05	40.15	13.90	54.05	-	-	Horizontal	NA
7	6946.98	49.43	-2.17	47.26	68.20	20.94	Horizontal	PASS
8	17996.17	39.45	13.73	53.18	74.00	20.82	Horizontal	PASS

Project Information

Mode:	802.11ax(HE80) RU996 Left	Band:	-
Bandwidth	-	Channel	5210
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2238.60	30.89	1.84	32.73	54.00	21.27	Vertical	PASS
2	5177.53	32.38	13.90	46.28	-	-	Vertical	NA
3	12130.97	35.49	4.92	40.41	54.00	13.59	Vertical	PASS
4	17889.21	31.97	13.48	45.45	54.00	8.55	Vertical	PASS
5	2192.40	39.02	1.31	40.33	68.20	27.87	Vertical	PASS
6	5177.25	39.78	13.91	53.69	-	-	Vertical	NA
7	6946.60	53.87	-2.17	51.70	68.20	16.50	Vertical	PASS
8	17853.18	38.48	13.95	52.43	74.00	21.57	Vertical	PASS

Project Information

Mode:	802.11ax(HE80) RU996 Left	Band:	-
Bandwidth	-	Channel	5290
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2236.13	31.43	1.81	33.24	54.00	20.76	Horizontal	PASS
2	5323.28	31.45	14.55	46.00	-	-	Horizontal	NA
3	12375.93	35.32	5.76	41.08	54.00	12.92	Horizontal	PASS
4	17835.16	33.01	13.36	46.37	54.00	7.63	Horizontal	PASS
5	1920.15	39.51	1.15	40.66	68.20	27.54	Horizontal	PASS
6	5321.90	38.10	14.55	52.65	-	-	Horizontal	NA
7	7053.17	48.88	-1.54	47.34	68.20	20.86	Horizontal	PASS
8	17863.15	39.24	13.82	53.06	74.00	20.94	Horizontal	PASS

Project Information

Mode:	802.11ax(HE80) RU996 Left	Band:	-
Bandwidth	-	Channel	5290
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2238.33	30.88	1.84	32.72	54.00	21.28	Vertical	PASS
2	5323.28	31.19	14.55	45.74	-	-	Vertical	NA
3	12053.15	35.47	5.41	40.88	54.00	13.12	Vertical	PASS
4	17974.70	32.81	13.43	46.24	54.00	7.76	Vertical	PASS
5	2231.45	38.68	1.75	40.43	74.00	33.57	Vertical	PASS
6	5323.00	37.94	14.55	52.49	-	-	Vertical	NA
7	7053.17	52.97	-1.54	51.43	68.20	16.77	Vertical	PASS
8	17880.78	39.54	13.59	53.13	74.00	20.87	Vertical	PASS


Project Information			
Mode:	802.11ax(HE80) RU996 Left	Band:	-
Bandwidth	-	Channel	5530
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 15		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5501.75	31.73	14.68	46.41	-	-	Horizontal	NA
2	5502.03	39.06	14.68	53.74	-	-	Horizontal	NA

Project Information			
Mode:	802.11ax(HE80) RU996 Left	Band:	-
Bandwidth	-	Channel	5530
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 15		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5501.20	31.42	14.68	46.10	-	-	Vertical	NA
2	5503.13	38.16	14.67	52.83	-	-	Vertical	NA

Project Information

Mode:	802.11ax(HE80) RU996 Left	Band:	-
Bandwidth	-	Channel	5610
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2236.68	31.06	1.99	33.05	54.00	20.95	Horizontal	PASS
2	5620.00	31.07	14.83	45.90	-	-	Horizontal	NA
3	12402.76	35.24	6.20	41.44	54.00	12.56	Horizontal	PASS
4	17976.23	33.59	13.44	47.03	54.00	6.97	Horizontal	PASS
5	1920.43	40.58	1.10	41.68	68.20	26.52	Horizontal	PASS
6	5620.55	36.40	14.83	51.23	-	-	Horizontal	NA
7	13699.24	41.53	9.42	50.95	68.20	17.25	Horizontal	PASS
8	17860.85	38.87	13.85	52.72	74.00	21.28	Horizontal	PASS

Project Information

Mode:	802.11ax(HE80) RU996 Left	Band:	-
Bandwidth	-	Channel	5610
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2257.85	30.73	2.14	32.87	54.00	21.13	Vertical	PASS
2	5620.83	30.27	14.83	45.10	-	-	Vertical	NA
3	12401.61	35.37	6.23	41.60	54.00	12.40	Vertical	PASS
4	17986.20	33.11	13.59	46.70	54.00	7.30	Vertical	PASS
5	2195.98	42.59	1.34	43.93	68.20	24.27	Vertical	PASS
6	5620.83	37.44	14.83	52.27	-	-	Vertical	NA
7	8976.03	46.58	2.04	48.62	68.20	19.58	Vertical	PASS
8	17877.33	39.26	13.63	52.89	74.00	21.11	Vertical	PASS

Project Information

Mode:	802.11ax(HE80) RU996 Left	Band:	-
Bandwidth	-	Channel	5775
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2250.98	31.06	1.88	32.94	54.00	21.06	Horizontal	PASS
2	5810.58	30.99	15.67	46.66	-	-	Horizontal	NA
3	12386.28	35.57	5.97	41.54	54.00	12.46	Horizontal	PASS
4	17879.25	32.41	13.61	46.02	54.00	7.98	Horizontal	PASS
5	2260.60	38.63	1.88	40.51	74.00	33.49	Horizontal	PASS
6	5807.55	38.04	15.68	53.72	-	-	Horizontal	NA
7	12736.66	43.72	5.64	49.36	68.20	18.84	Horizontal	PASS
8	17979.68	39.33	13.50	52.83	74.00	21.17	Horizontal	PASS

Project Information

Mode:	802.11ax(HE80) RU996 Left	Band:	-
Bandwidth	-	Channel	5775
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2237.78	31.16	1.81	32.97	54.00	21.03	Vertical	PASS
2	5809.75	31.76	15.67	47.43	-	-	Vertical	NA
3	12665.36	34.85	6.11	40.96	54.00	13.04	Vertical	PASS
4	17866.21	32.37	13.78	46.15	54.00	7.85	Vertical	PASS
5	2268.30	39.44	1.89	41.33	74.00	32.67	Vertical	PASS
6	5808.65	38.64	15.68	54.32	-	-	Vertical	NA
7	9240.16	46.73	2.79	49.52	68.20	18.68	Vertical	PASS
8	17883.85	39.25	13.55	52.80	74.00	21.20	Vertical	PASS

Project Information

Mode:	802.11ax(HE80) RU996 Left	Band:	-
Bandwidth	-	Channel	5690
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 17		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2228.43	31.04	1.84	32.88	54.00	21.12	Horizontal	PASS
2	5728.90	67.29	14.91	82.20	-	-	Horizontal	NA
3	12389.73	34.55	6.05	40.60	54.00	13.40	Horizontal	PASS
4	17976.23	32.33	13.44	45.77	54.00	8.23	Horizontal	PASS
5	2228.43	38.54	1.84	40.38	74.00	33.62	Horizontal	PASS
6	5728.63	73.32	14.91	88.23	-	-	Horizontal	NA
7	12384.36	42.25	5.94	48.19	74.00	25.81	Horizontal	PASS
8	17894.20	39.46	13.42	52.88	74.00	21.12	Horizontal	PASS